

DAFTAR PUSTAKA

- [1] J. Fadzli, K. H. K. Hamid, N. R. N. Him, and S. W. Puasa, "A Critical Review On The Treatment Of Reactive Dye Wastewater," *Desalination Water Treat.*, vol. 257, pp. 185–203, May 2022, doi: 10.5004/dwt.2022.28028.
- [2] M. Paiu, D. Lutic, L. Favier, and M. Gavrilescu, "Heterogeneous Photocatalysis for Advanced Water Treatment: Materials, Mechanisms, Reactor Configurations, and Emerging Applications," *Applied Sciences*, vol. 15, no. 10, p. 5681, May 2025, doi: 10.3390/app15105681.
- [3] Z. Li, S. Wang, J. Wu, and W. Zhou, "Recent Progress In Defective TiO₂ Photocatalysts For Energy and Environmental Applications," *Renewable and Sustainable Energy Reviews*, vol. 156, p. 111980, Mar. 2022, doi: 10.1016/j.rser.2021.111980.
- [4] M. Humayun, F. Raziq, A. Khan, and W. Luo, "Modification Strategies of TiO₂ For Potential Applications In Photocatalysis: A Critical Review," *Green Chem. Lett. Rev.*, vol. 11, no. 2, pp. 86–102, Apr. 2018, doi: 10.1080/17518253.2018.1440324.
- [5] M. Sadia, A. Saqib, J. Khan, M. Zahoor, and I. Zekker, "Photocatalytic Degradation of Methyl Orange and Toluidine Blue Using Advanced Oxidation Method," *Desalination Water Treat.*, vol. 262, pp. 256–265, Jun. 2022, doi: 10.5004/dwt.2022.28554.
- [6] Amr. M. Elbasiony, A. A. Alamri, U. A. Soliman, H. G. Mohamedbaker, A. M. Wahba, and E. T. Helmy, "Green Synthesis Of N, B Co-Doped TiO₂ Nanoparticles With Enhanced Photocatalytic And Antioxidant Activities," *J. Taiwan Inst. Chem. Eng.*, vol. 177, p. 105626, Dec. 2025, doi: 10.1016/j.jtice.2024.105626.
- [7] L. Yang, L. Li, L. Li, C. Liu, J. Li, B. Lai, and N. Li, "N/Fe/Zn Co-Doped TiO₂ Loaded On Basalt Fiber With Enhanced Photocatalytic Activity For Organic Pollutant Degradation," *RSC Adv.*, vol. 11, no. 9, pp. 4942–4951, 2021, doi: 10.1039/D0RA10102H.

- [8] J. Chen, H. B. Tao, and B. Liu, "Unraveling the Intrinsic Structures that Influence the Transport of Charges in TiO₂ Electrodes," *Adv. Energy Mater.*, vol. 7, no. 23, Dec. 2017, doi: 10.1002/aenm.201700886.
- [9] Md. N. Arifin, M. Tarek, and Md. M. Rahman Khan, "Efficient Treatment of Organic Pollutants By Boron Doped TiO₂ Photocatalysts Under Visible Light Radiation," *Chemical Engineering Research and Design*, vol. 180, pp. 212–219, Apr. 2022, doi: 10.1016/j.cherd.2022.02.016.
- [10] T. Jedsukontorn, V. Meeyoo, N. Saito, and M. Hunsom, "Effect of Electron Acceptors H₂O₂ and O₂ On The Generated Reactive Oxygen Species O-1(2) and OH Center Dot in TiO₂-Catalyzed Photocatalytic Oxidation of Glycerol," *Chinese Journal of Catalysis*, vol. 37, no. 11, pp. 1975–1981, Nov. 2016, doi: 10.1016/S1872-2067(16)62519-6.
- [11] R. Merdoud, F. Aoudjit, L. Mouni, V. Honavar, R. P. Moghadam, M. Palabathuni, and V. V. Ranade, "Methyl Orange Degradation Using Ag-Doped TiO₂, H₂O₂, and Hydrodynamic Cavitation," *ACS Omega*, vol. 10, no. 21, pp. 21377–21390, Jun. 2025, doi: 10.1021/acsomega.5c00034.
- [12] J. Schneider, M. Matsuoka, M. Takeuchi, J. Zhang, Y. Horiuchi, M. Anpo, and D. W. Bahnemann, "Understanding TiO₂ Photocatalysis: Mechanisms and Materials," *Chem. Rev.*, vol. 114, no. 19, pp. 9919–9986, Oct. 2014, doi: 10.1021/cr5001892.
- [13] M.-A. Gatou, A. Syrrakou, N. Lagopati, and E. A. Pavlatou, "Photocatalytic TiO₂-Based Nanostructures as a Promising Material for Diverse Environmental Applications: A Review," *Reactions*, vol. 5, no. 1, pp. 135–194, Feb. 2024, doi: 10.3390/reactions5010007.
- [14] M. A. H. Aziz, A. A. Jalil, and R. Jusoh, "Surface-Modified TiO₂ Photocatalysts For Emerging Contaminants: Strategies For Band Gap Tuning, Cocatalyst Synergy, And Reactivity Enhancement," *Inorg. Chem. Commun.*, vol. 182, p. 115590, Dec. 2025, doi: 10.1016/j.inoche.2025.115590.
- [15] A. H. Navidpour, S. Abbasi, D. Li, A. Mojiri, and J. L. Zhou, "Investigation of Advanced Oxidation Process in the Presence of TiO₂ Semiconductor as Photocatalyst: Property, Principle, Kinetic Analysis, and Photocatalytic

- Activity,” *Catalysts*, vol. 13, no. 2, p. 232, Jan. 2023, doi: 10.3390/catal13020232.
- [16] C. Song, L. Xiao, Y. Chen, F. Yang, H. Meng, W. Zhang, Y. Zhang, and Y. Wu, “TiO₂-Based Catalysts with Various Structures for Photocatalytic Application: A Review,” *Catalysts*, vol. 14, no. 6, p. 366, Jun. 2024, doi: 10.3390/catal14060366.
- [17] C. Dette, M. A. Pérez-Osorio, C. S. Kley, P. Punke, C. E. Patrick, P. Jacobson, F. Giustino, and S. J. Jung, “TiO₂ Anatase with a Bandgap in the Visible Region,” *Nano Lett.*, vol. 14, no. 11, pp. 6533–6538, Nov. 2014, doi: 10.1021/nl503131s.
- [18] Y. Jari, N. Najid, M. C. Necibi, B. Gourich, C. Vial, A. Elhalil, P. Kaur, I. Mohdeb, Y. Park, Y. Hwang, A. R. Garcia, N. Roche, and A. El Midaoui, “A Comprehensive Review On TiO₂-Based Heterogeneous Photocatalytic Technologies For Emerging Pollutants Removal From Water And Wastewater: From Engineering Aspects To Modeling Approaches,” *J. Environ. Manage.*, vol. 373, p. 123703, Jan. 2025, doi: 10.1016/j.jenvman.2024.123703.
- [19] R. Acharya and P. Pani, “Visible Light Susceptible Doped TiO₂ Photocatalytic Systems: An Overview,” *Mater. Today Proc.*, vol. 67, pp. 1276–1282, 2022, doi: 10.1016/j.matpr.2022.09.037.
- [20] D. A. S. Mulus, M. D. Permana, Y. Deawati, and D. R. Eddy, “A Current Review Of TiO₂ Thin Films: Synthesis And Modification Effect To The Mechanism And Photocatalytic Activity,” *Applied Surface Science Advances*, vol. 27, p. 100746, Jun. 2025, doi: 10.1016/j.apsadv.2025.100746.
- [21] B. Roose, S. Pathak, and U. Steiner, “Doping of TiO₂ For Sensitized Solar Cells,” *Chem. Soc. Rev.*, vol. 44, no. 22, pp. 8326–8349, 2015, doi: 10.1039/C5CS00352K.
- [22] A. Khlyustova, N. Sirotkin, T. Kusova, A. Kraev, V. Titov, and A. Agafonov, “Doped TiO₂ : The Effect of Doping Elements On Photocatalytic Activity,” *Mater. Adv.*, vol. 1, no. 5, pp. 1193–1201, 2020, doi: 10.1039/D0MA00171F.

- [23] W. Sadik, A. Eldemerdash, A. W. Nashed, A. A. Mostafa, and E. Lamie, "Enhanced rates photocatalytic degradation of acid red 37 dye by TiO_2 – SnO_2 in solid state under UV-irradiation light," *Discover Nano*, vol. 20, no. 1, p. 236, Dec. 2025, doi: 10.1186/s11671-025-04397-2.
- [24] W. Zhang, T. Jiang, N. Li, S. Zhao, and Y. Zhao, "Enhanced Photocatalytic Degradation of Methyl Orange by Metal- TiO_2 Nanoparticles," *ChemistrySelect*, vol. 9, no. 32, Aug. 2024, doi: 10.1002/slct.202401814.
- [25] S. Khan, T. Lemes Ruwer, N. Khan, A. Köche, R. W. Lodge, H. Coelho-Júnior, R. L. Sommer, M. J. Leite Santos, C. F. Malfatti, C. P. Bergmann, and J. A. Fernandes, "Revealing the True Impact of Interstitial and Substitutional Nitrogen Doping in TiO_2 on Photoelectrochemical Applications," *J. Mater. Chem. A*, vol. 9, no. 20, pp. 12214–12224, 2021, doi: 10.1039/D0TA11494D.
- [26] W. Zhang, N. Li, P. Wu, D. Wang, P. Dong, and Y. Zhao, "Effect of Nitrogen Doping on the Photocatalytic Properties of TiO_2 ," *ChemistrySelect*, vol. 8, no. 24, Jun. 2023, doi: 10.1002/slct.202204826.
- [27] C. Fu, Y. Gong, Y. Wu, J. Liu, Z. Zhang, C. Li, and L. Niu, "Photocatalytic Enhancement of TiO_2 by B and Zr Co-Doping and Modulation of Microstructure," *Appl. Surf. Sci.*, vol. 379, pp. 83–90, Aug. 2016, doi: 10.1016/j.apsusc.2016.03.192.
- [28] A. J. Moreira, K. C. de Araújo, G. N. Marques, E. T. D. Nobrega, H. L. S. Santos, L. H. Mascaro, Y. J. Onofre, H. V. A. Galeti, Y. G. Gobato, V. R. Mastelaro, G. P. G. Freschi, M. P. F. Godoy, and E. C. Pereira, "Anatase-Rutile-Brookite: Structural and Photocatalytic Properties of TiO_2 Modified with Different Boron Concentrations," *Mater. Res. Bull.*, vol. 179, p. 112973, Nov. 2024, doi: 10.1016/j.materresbull.2024.112973.
- [29] C. Chen, W. Ma, and J. Zhao, "Photocatalytic Degradation of Organic Pollutants by Co-Doped TiO_2 Under Visible Light Irradiation," *Curr. Org. Chem.*, vol. 14, no. 7, pp. 630–644, Apr. 2010, doi: 10.2174/138527210790963421.
- [30] J. K. Mbae and Z. W. Muthui, "Ab initio Investigation of the Structural and Electronic Properties of Alkaline Earth Metal - TiO_2 Natural Polymorphs,"

Advances in Materials Science and Engineering, vol. 2022, pp. 1–10, Mar. 2022, doi: 10.1155/2022/7629651.

- [31] X. Liang, S. Yu, B. Meng, X. Wang, C. Yang, C. Shi, and J. Ding, “Advanced TiO₂-Based Photoelectrocatalysis: Material Modifications, Charge Dynamics, and Environmental–Energy Applications,” *Catalysts*, vol. 15, no. 6, p. 542, May 2025, doi: 10.3390/catal15060542.
- [32] Q. Feng, T. Wang, F. Zhang, B. Song, and K. Du, “Synthesis of TiO₂ photocatalytic materials via solid-state reaction and its photodegradation property for methyl orange,” *Materials Research Innovations*, vol. 18, no. sup4, pp. S4-92-S4-96, Jul. 2014, doi: 10.1179/1432891714Z.0000000000650.
- [33] N. Patel, A. Dashora, R. Jaiswal, R. Fernandes, M. Yadav, D. C. Kothari, B. L. Ahuja, and A. Miotello, “Experimental and Theoretical Investigations on the Activity and Stability of Substitutional and Interstitial Boron in TiO₂ Photocatalyst,” *J. Phys. Chem. C*, vol. 119, no. 32, pp. 18581–18590, Aug. 2015, doi: 10.1021/acs.jpcc.5b05290.
- [34] R. Hufschmid, H. Arami, R. M. Ferguson, M. Gonzales, E. Teeman, L. N. Brush, N. D. Browning, and K. M. Krishnan, “Synthesis of Phase-Pure and Monodisperse Iron Oxide Nanoparticles by Thermal Decomposition,” *Nanoscale*, vol. 7, no. 25, pp. 11142–11154, 2015, doi: 10.1039/C5NR01651G.
- [35] P. D. Murzin, A. V. Rudakova, A. V. Emeline, and D. W. Bahnemann, “Effect of the Heterovalent Doping of TiO₂ with Sc³⁺ and Nb⁵⁺ on the Defect Distribution and Photocatalytic Activity,” *Catalysts*, vol. 12, no. 5, p. 484, Apr. 2022, doi: 10.3390/catal12050484.
- [36] S. Phromma, T. Wutikhun, P. Kasamechonchung, T. Eksangsri, and C. Sapcharoenkun, “Effect of Calcination Temperature on Photocatalytic Activity of Synthesized TiO₂ Nanoparticles via Wet Ball Milling Sol-Gel Method,” *Applied Sciences*, vol. 10, no. 3, p. 993, Feb. 2020, doi: 10.3390/app10030993.
- [37] Z. Alhalili and M. Smiri, “The Influence of the Calcination Time on Synthesis of Nanomaterials with Small Size, High Crystalline Nature and

- Photocatalytic Activity in the TiO₂ Nanoparticles Calcined at 500 °C,” *Crystals (Basel)*, vol. 12, no. 11, p. 1629, Nov. 2022, doi: 10.3390/cryst12111629.
- [38] A. Ibhaddon and P. Fitzpatrick, “Heterogeneous Photocatalysis: Recent Advances and Applications,” *Catalysts*, vol. 3, no. 1, pp. 189–218, Mar. 2013, doi: 10.3390/catal3010189.
- [39] A. Fujishima and K. Honda, “Electrochemical Photolysis of Water at a Semiconductor Electrode,” *Nature*, vol. 238, no. 5358, pp. 37–38, Jul. 1972, doi: 10.1038/238037a0.
- [40] D. Jiang, T. A. Otitoju, Y. Ouyang, N. F. Shoparwe, S. Wang, A. Zhang, and S. Li, “A Review on Metal Ions Modified TiO₂ for Photocatalytic Degradation of Organic Pollutants,” *Catalysts*, vol. 11, no. 9, p. 1039, Aug. 2021, doi: 10.3390/catal11091039.
- [41] R. Acharya and P. Pani, “Visible light susceptible doped TiO₂ photocatalytic systems: An overview,” *Mater. Today Proc.*, vol. 67, pp. 1276–1282, 2022, doi: 10.1016/j.matpr.2022.09.037.
- [42] A. L. Linsebigler, G. Lu, and J. T. Yates, “Photocatalysis on TiO₂ Surfaces: Principles, Mechanisms, and Selected Results,” *Chem. Rev.*, vol. 95, no. 3, pp. 735–758, May 1995, doi: 10.1021/cr00035a013.
- [43] M. N. Chong, B. Jin, C. W. K. Chow, and C. Saint, “Recent Developments in Photocatalytic Water Treatment Technology: A review,” *Water Res.*, vol. 44, no. 10, pp. 2997–3027, May 2010, doi: 10.1016/j.watres.2010.02.039.
- [44] N. Daneshvar, D. Salari, and A. R. Khataee, “Photocatalytic Degradation of Azo Dye Acid Red 14 In Water on ZnO As An Alternative Catalyst To TiO₂,” *J. Photochem. Photobiol. A Chem.*, vol. 162, no. 2–3, pp. 317–322, Mar. 2004, doi: 10.1016/S1010-6030(03)00378-2.
- [45] U. I. Gaya and A. H. Abdullah, “Heterogeneous photocatalytic degradation of organic contaminants over titanium dioxide: A review of fundamentals, progress and problems,” *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, vol. 9, no. 1, pp. 1–12, Mar. 2008, doi: 10.1016/j.jphotochemrev.2007.12.003.

- [46] Y. H. Kotp, "Fabrication of Cerium Titanate Cellulose Fiber Nanocomposite Materials For The Removal of Methyl Orange and Methylene Blue From Polluted Water by Photocatalytic Degradation," *Environmental Science and Pollution Research*, vol. 29, no. 54, pp. 81583–81608, Nov. 2022, doi: 10.1007/s11356-022-21430-4.
- [47] G. V. Serban, V. I. Iancu, C. Dinu, A. Tenea, N. Vasilache, I. Cristea, M. Niculescu, I. Ionescu, and F. L. Chiriac, "Removal Efficiency and Adsorption Kinetics of Methyl Orange from Wastewater by Commercial Activated Carbon," *Sustainability*, vol. 15, no. 17, p. 12939, Aug. 2023, doi: 10.3390/su151712939.
- [48] B. D. Cullity and S. R. Stock, *Elements of X-Ray Diffraction*, 3rd ed. Harlow, England: Pearson Education Limited, 2014.
- [49] E. Hartiningsih, "Identifikasi Jenis Mineral Industri Dengan Xrd Pada Sampel Batupasir Formasi Ekmai, Distrik Ertsberg, Kabupaten Mimika, Provinsi Papua Tengah," *Jurnal Sains dan Teknologi*, vol. 2, no. 2, pp. 169–180, Dec. 2023, doi: 10.58169/saintek.v2i2.208.
- [50] A. R. West, *Solid State Chemistry and Its Applications*, 3rd ed. Chichester, West Sussex: John Wiley & Sons Ltd, 2022.
- [51] P. Lian, A. Qin, L. Liao, and K. Zhang, "Progress On the Nanoscale Spherical TiO₂ Photocatalysts: Mechanisms, Synthesis and Degradation Applications," *Nano Select*, vol. 2, no. 3, pp. 447–467, Mar. 2021, doi: 10.1002/nano.202000091.
- [52] J. I. Langford and A. J. C. Wilson, "Scherrer after sixty years: A survey and some new results in the determination of crystallite size," *J. Appl. Crystallogr.*, vol. 11, no. 2, pp. 102–113, Apr. 1978, doi: 10.1107/S0021889878012844.
- [53] A. R. Stokes and A. J. C. Wilson, "The diffraction of X rays by distorted crystal aggregates - I," *Proceedings of the Physical Society*, vol. 56, no. 3, pp. 174–181, May 1944, doi: 10.1088/0959-5309/56/3/303.
- [54] G. K. Williamson and R. E. Smallman, "Dislocation densities in some annealed and cold-worked metals from measurements on the X-ray debye-

- scherrer spectrum,” *Philosophical Magazine*, vol. 1, no. 1, pp. 34–46, Jan. 1956, doi: 10.1080/14786435608238074.
- [55] Barbara. Stuart, *Infrared spectroscopy: fundamentals and applications*. Chichester, England: John Wiley & Sons Ltd, 2004.
- [56] B. C. Smith, *Infrared Spectral Interpretation: A Systematic Approach*, 2nd ed. Boca Raton, Florida: CRC Press, 2020.
- [57] A. Mezzetti and W. Leibl, “Time-resolved infrared spectroscopy in the study of photosynthetic systems,” *Photosynth. Res.*, vol. 131, no. 2, pp. 121–144, Feb. 2017, doi: 10.1007/s11120-016-0305-3.
- [58] D. A. Long, *The Raman Effect*. Wiley, 2002. doi: 10.1002/0470845767.
- [59] D. K. Pandey, H. L. Kagdada, P. Sanchora, and D. K. Singh, “Overview of Raman Spectroscopy: Fundamental to Applications,” 2021, pp. 145–184. doi: 10.1007/978-981-33-6084-6_6.
- [60] E. Smith and G. Dent, *Modern Raman Spectroscopy: A Practical Approach*, 2nd ed. Chichester: John Wiley & Sons, 2019.
- [61] H. C. Choi, Y. M. Jung, and S. Bin Kim, “Size effects in the Raman spectra of TiO₂ nanoparticles,” *Vib. Spectrosc.*, vol. 37, no. 1, pp. 33–38, Jan. 2005, doi: 10.1016/j.vibspec.2004.05.006.
- [62] E. S. Welter, S. Garg, R. Gläser, and M. Goepel, “Methodological Investigation of the Band Gap Determination of Solid Semiconductors via UV/Vis Spectroscopy,” *ChemPhotoChem*, vol. 7, no. 6, Jun. 2023, doi: 10.1002/cptc.202300001.
- [63] M. L. Bols, J. Ma, F. Rammal, D. Plessers, X. Wu, S. Navarro-Jaén, A. J. Heyer, B. F. Sels, E. I. Solomon, and R. A. Schoonheydt, “In Situ UV–Vis–NIR Absorption Spectroscopy and Catalysis,” *Chem. Rev.*, vol. 124, no. 5, pp. 2352–2418, Mar. 2024, doi: 10.1021/acs.chemrev.3c00602.
- [64] D. A. Skoog, F. J. Holler, and S. R. Crouch, *Principles of Instrumental Analysis*, 7th ed. Boston, MA: Cengage Learning, 2018.
- [65] P. R. Jubu, O. S. Obaseki, A. Nathan-Abutu, F. K. Yam, Y. Yusof, and M. B. Ochang, “Dispensability of the conventional Tauc’s plot for accurate bandgap determination from UV–vis optical diffuse reflectance data,”

- Results in Optics*, vol. 9, p. 100273, Dec. 2022, doi: 10.1016/j.rio.2022.100273.
- [66] S. Lettieri, M. Pavone, A. Fioravanti, L. Santamaria Amato, and P. Maddalena, “Charge Carrier Processes and Optical Properties in TiO₂ and TiO₂-Based Heterojunction Photocatalysts: A Review,” *Materials*, vol. 14, no. 7, p. 1645, Mar. 2021, doi: 10.3390/ma14071645.
- [67] K. Wenderich, K. Zhu, Y. Bu, F. D. Tichelaar, G. Mul, and A. Huijser, “Photophysical Characterization of Ru Nanoclusters on Nanostructured TiO₂ by Time-Resolved Photoluminescence Spectroscopy,” *The Journal of Physical Chemistry C*, vol. 127, no. 29, pp. 14353–14362, Jul. 2023, doi: 10.1021/acs.jpcc.3c04075.
- [68] J. R. Lakowicz, *Principles of Fluorescence Spectroscopy*, 3rd ed. New York: Springer, 2006.
- [69] D. Meroni, C. Cionti, L. Silvestrini, N. Gal, M. Cazzaniga, M. Ceotto, G. Buccella, L. Lo Presti, and G. Cappelletti, “Oxygen Vacancies in the Spotlight: On the Engineering of Intrinsic Defects in Highly Defective TiO₂ Photocatalysts,” *J. Photochem. Photobiol. A Chem.*, vol. 444, p. 114916, Oct. 2023, doi: 10.1016/j.jphotochem.2023.114916.
- [70] N. M. Pardeshi, R. S. Ghuge, P. N. Birla, M. Nagarajan, M. D. Shinde, Y. Sivalingam, R. D. Kale, and S. B. Rane, “Reduced Graphene Oxide/ZnO Nanocomposites: One-Step Solid-State Preparation for Room Temperature Photo-Sensing and Photoelectrical Gas Sensing Capabilities,” *Nanoscale*, vol. 17, no. 19, pp. 12220–12234, Apr. 2025, doi: 10.1039/D4NR04345F.
- [71] C. Díaz, M. Segovia, and M. L. Valenzuela, “Solid State Nanostructured Metal Oxides as Photocatalysts and Their Application in Pollutant Degradation: A Review,” *Photochem*, vol. 2, no. 3, pp. 609–627, Aug. 2022, doi: 10.3390/photochem2030041.
- [72] F. Zuo, Y. Zhu, T. Wu, C. Li, Y. Liu, X. Wu, J. Ma, K. Zhang, H. Ouyang, X. Qiu, and J. He, “Titanium Dioxide Nanomaterials: Progress in Synthesis and Application in Drug Delivery,” *Pharmaceutics*, vol. 16, no. 9, p. 1214, Sep. 2024, doi: 10.3390/pharmaceutics16091214.

- [73] R. Jaiswal, J. Bharambe, N. Patel, A. Dashora, D. C. Kothari, and A. Miotello, "Copper and Nitrogen co-doped TiO₂ photocatalyst with enhanced optical absorption and catalytic activity," *Appl. Catal. B*, vol. 168–169, pp. 333–341, Jun. 2015, doi: 10.1016/j.apcatb.2014.12.053.
- [74] M. Kang, S.-Y. Lee, C.-H. Chung, S. M. Cho, G. Y. Han, B.-W. Kim, and K. J. Yoon, "Characterization of a TiO₂ Photocatalyst Synthesized by the Solvothermal Method and Its Catalytic Performance for CHCl₃ Decomposition," *J. Photochem. Photobiol. A Chem.*, vol. 144, no. 2–3, pp. 185–191, Nov. 2001, doi: 10.1016/S1010-6030(01)00501-9.
- [75] M. A. Halcrow, "Jahn–Teller Distortions in Transition Metal Compounds, and Their Importance in Functional Molecular and Inorganic Materials," *Chem. Soc. Rev.*, vol. 42, no. 4, pp. 1784–1795, 2013, doi: 10.1039/C2CS35253B.
- [76] T. Ohsaka, F. Izumi, and Y. Fujiki, "Raman spectrum of anatase, TiO₂," *Journal of Raman Spectroscopy*, vol. 7, no. 6, pp. 321–324, Dec. 1978, doi: 10.1002/jrs.1250070606.
- [77] X. Chen and S. S. Mao, "Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications," *Chem. Rev.*, vol. 107, no. 7, pp. 2891–2959, Jul. 2007, doi: 10.1021/cr0500535.
- [78] H. Jung, K. Nam, H.-G. Sung, H. Hyun, Y. Sohn, and W. Shin, "Preparation of TiO₂-Decorated Boron Particles by Wet Ball Milling and their Photoelectrochemical Hydrogen and Oxygen Evolution Reactions," *Materials*, vol. 9, no. 12, p. 1012, Dec. 2016, doi: 10.3390/ma9121012.
- [79] S. M. Reda, M. Khairy, and M. A. Mousa, "Photocatalytic Activity of Nitrogen and Copper Doped TiO₂ Nanoparticles Prepared by Microwave-Assisted Sol-Gel Process," *Arabian Journal of Chemistry*, vol. 13, no. 1, pp. 86–95, Jan. 2020, doi: 10.1016/j.arabjc.2017.02.002.
- [80] G. Waweru, S. Kiprotich, P. Waithaka, G. S. Waweru, S. Kiprotich, and P. Waithaka, "Effects Of Different Zn Doping Concentration On The Optical And Structural Properties Of TiO₂ Nanoparticles Effects Of Different Zn Doping Concentration On The Optical And Structural Properties Of TiO₂

- Nanoparticles,” *Nanoscience and Nanotechnology*, vol. 2024, no. 1, pp. 1–9, doi: 10.5923/j.nn.20241301.01.
- [81] J. Schneider, M. Matsuoka, M. Takeuchi, J. Zhang, Y. Horiuchi, M. Anpo, and D. W. Bahnemann, “Understanding TiO₂ photocatalysis: Mechanisms and materials,” *Chem. Rev.*, vol. 114, no. 19, pp. 9919–9986, 2014, doi: 10.1021/cr5001892.
- [82] F. Li, L. Cheng, J. Fan, and Q. Xiang, “Steering The Behavior Of Photogenerated Carriers In Semiconductor Photocatalysts: A New Insight and Perspective,” *J. Mater. Chem. A Mater.*, vol. 9, no. 42, pp. 23765–23782, 2021, doi: 10.1039/D1TA06899G.
- [83] C. Nie, J. Dong, P. Sun, C. Yan, H. Wu, and B. Wang, “An Efficient Strategy For Full Mineralization of An Azo Dye In Wastewater: A Synergistic Combination of Solar Thermo- and Electrochemistry Plus Photocatalysis,” *RSC Adv.*, vol. 7, no. 58, pp. 36246–36255, 2017, doi: 10.1039/C7RA05797K.

