

REFERENSI

- [1] P. N. Andono, T. Sutojo, and Muljono, *Pengolahan Citra Digital*. Yogyakarta: Penerbit ANDI, 2017.
- [2] M. P. Beham and S. M. M. Roomi, “A review of face recognition methods,” *Int. J. Pattern Recognit. Artif. Intell.*, vol. 27, no. 4, pp. 1–35, 2013.
- [3] Z. Cheng, X. Zhu, and S. Gong, “Surveillance Face Recognition Challenge,” Apr. 2018.
- [4] S. S. Rajput and K. V. Arya, “A robust face super-resolution algorithm and its application in low-resolution face recognition system,” *Multimed. Tools Appl.*, vol. 79, no. 33–34, pp. 23909–23934, 2020.
- [5] W. W. W. Zou and P. C. Yuen, “Very low resolution face recognition problem,” *IEEE Trans. Image Process.*, vol. 21, no. 1, pp. 327–340, 2012.
- [6] P. Milanfar, *Super-Resolution Imaging*. Boca Raton: CRC Press, 2017.
- [7] S. Farsiu, D. Robinson, M. Elad, and P. Milanfar, “Advances and challenges in super-resolution,” *Int. J. Imaging Syst. Technol.*, vol. 14, no. 2, pp. 47–57, 2004.
- [8] B. Hardiansyah, A. P. Armin, and A. B. Yunanda, “Rekonstruksi Citra Pada Super Resolusi Menggunakan Interpolasi Bicubic,” *INTEGER J. Inf. Technol.*, vol. 4, no. 2, pp. 1–12, 2019.
- [9] N. M. Abdi and S. Aisyah, “Peningkatan Kualitas Citra Digital Menggunakan Metode Super Resolusi Pada Domain Spasial,” *J. Rekayasa Elektr.*, vol. 9, no. 3, pp. 137–142, 2011.
- [10] W. Astuti, “Implementasi Metode Super Resolusi Untuk Meningkatkan Kualitas Citra Hasil Screenshot,” *JURIKOM (Jurnal Ris. Komputer)*, vol. 7, no. 3, p. 432, 2020.
- [11] Y. Xiong *et al.*, “Improved SRGAN for remote sensing image super-resolution across locations and sensors,” *Remote Sens.*, vol. 12, no. 8, pp. 1–21, 2020.
- [12] M. E. ABDULFATTAH, L. NOVAMIZANTI, and S. RIZAL, “Super Resolution pada Citra Udara menggunakan Convolutional Neural Network,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 9, no. 1, p. 71, 2021.
- [13] G. Aprilian Anarki, K. Auliasari, and M. Orisa, “Penerapan Metode Haar Cascade Pada Aplikasi Deteksi Masker,” *JATI (Jurnal Mhs. Tek. Inform.)*, vol. 5, no. 1, pp. 179–186, 2021.
- [14] Y. Nagano and Y. Kikuta, “SRGAN for super-resolving low-resolution food images,” *ACM Int. Conf. Proceeding Ser.*, pp. 33–37, 2018.
- [15] C. Ledig *et al.*, “Photo-realistic single image super-resolution using a

- generative adversarial network,” *Proc. - 30th IEEE Conf. Comput. Vis. Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 105–114, 2017.
- [16] Z. Liu, P. Luo, X. Wang, and X. Tang, “Large-scale CelebFaces Attributes (CelebA) Dataset,” *Multimedia Laboratory, The Chinese University of Hong Kong*. [Online]. Available: <http://mmlab.ie.cuhk.edu.hk/projects/CelebA.html>. [Accessed: 26-Feb-2022].
 - [17] Liyakathunisa and C. N. R. Kumar, “A novel wavelet based super resolution reconstruction of low resolution images using adaptive interpolation,” *Proc. - 2nd Int. Conf. Adv. Recent Technol. Commun. Comput. ARTCom 2010*, pp. 146–150, 2010.
 - [18] D. B. Magfira, E. Ernawati, and ..., “Aplikasi Peningkatan Resolusi Citra Motif Batik Menggunakan Metode Interpolasi Spline Kuadratik (Studi Kasus: Citra Motif Batik Besurek Kota Bengkulu),” *Rekursif J. ...*, vol. 3, no. 2, pp. 123–131, 2015.
 - [19] H. Mhatre and V. Bhosale, “Super resolution of astronomical objects using back propagation algorithm,” *Proc. Int. Conf. Inven. Comput. Technol. ICICT 2016*, vol. 2, 2016.
 - [20] P. B. N. Simangunsong, “Peningkatan Kualitas Citra Pada Studio Photography Dengan Menggunakan Metode Gaussian Filter,” *J. Tek. Inform. UNIKA St. Thomas*, vol. 3, no. 1, pp. 59–63, 2018.
 - [21] J. Li, L. Wu, S. Wang, W. Wu, F. Song, and G. Zheng, “Super resolution image reconstruction of textile based on SRGAN,” *Proc. - 2019 IEEE Int. Conf. Smart Internet Things, SmartIoT 2019*, pp. 436–439, 2019.
 - [22] U. S. Gusti and R. Ekawati, *Pengolahan Citra Digital*. Bandung: Media Sains Indonesia, 2021.
 - [23] V. Bruce and A. Young, “Understanding face recognition,” *Br. J. Psychol.*, vol. 77, no. 3, pp. 305–327, 1986.
 - [24] D. Glasner, S. Bagon, and M. Irani, “Super-resolution from a single image,” *Proc. IEEE Int. Conf. Comput. Vis., no. Iccv*, pp. 349–356, 2009.
 - [25] I. J. Goodfellow *et al.*, “Generative Adversarial Networks,” Jun. 2014.
 - [26] T. Wahyono, *Fundamental of Python for Machine Learning (Dasar-dasar Pemrograman Python untuk Machine Learning dan Kecerdasan Buatan)*, I. Yogyakarta: Gava Media, 2018.
 - [27] Jubilee Enterprise, *Aplikasi Face Detector dan Digital Imaging dengan Python*. Jakarta: Elex Media Komputindo, 2018.
 - [28] Jubilee Enterprise, *Otodidak Pemrograman Python*. Jakarta: Elex Media Komputindo, 2017.
 - [29] C. Pete *et al.*, “Crisp-Dm 1.0,” *Cris. Consort.*, p. 76, 2000.

- [30] Z. Wang and A. C. Bovik, “Mean squared error: Lot it or leave it? A new look at signal fidelity measures,” *IEEE Signal Process. Mag.*, vol. 26, no. 1, pp. 98–117, 2009.
- [31] J. Korhonen and J. You, “Peak signal-to-noise ratio revisited: Is simple beautiful?,” *2012 4th Int. Work. Qual. Multimed. Exp. QoMEX 2012*, pp. 37–38, 2012.
- [32] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, “Improved techniques for training GANs,” *Adv. Neural Inf. Process. Syst.*, pp. 2234–2242, 2016.
- [33] Q. Xu *et al.*, “An empirical study on evaluation metrics of generative adversarial networks,” 2018.
- [34] Y. Bu, S. Zou, Y. Liang, and V. V. Veeravalli, “Estimation of KL Divergence: Optimal Minimax Rate,” *IEEE Trans. Inf. Theory*, vol. 64, no. 4, pp. 2648–2674, 2018.
- [35] K. He, X. Zhang, S. Ren, and J. Sun, “Delving Deep into Rectifiers: Surpassing Human-Level Performance on ImageNet Classification,” *CoRR*, no. 1, Feb. 2015.
- [36] W. Shi *et al.*, “Real-Time Single Image and Video Super-Resolution Using an Efficient Sub-Pixel Convolutional Neural Network,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 1874–1883, 2016.
- [37] H. Liu, X. Zheng, J. Han, Y. Chu, and T. Tao, “Survey on GAN-based face hallucination with its model development,” *IET Image Process.*, vol. 13, no. 14, pp. 2662–2672, 2019.

